

Prepared for:
Xite Edibles

1540 South 21st St
Colorado Springs, CO USA 80904

Peanut Butter Nuggets 09.08.26

Batch ID or Lot Number: 5189	Test: Pesticides	Reported: 05Aug2025	USDA License: NA
Matrix: Finished Product	Test ID: T000309215	Started: 04Aug2025	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 31Jul2025	Status: NA

Pesticides

	Dynamic Range (ppb)	Result (ppb)
Abamectin	233 - 2776	ND
Acephate	45 - 2706	ND
Acetamiprid	45 - 2701	ND
Azoxystrobin	46 - 2723	ND
Bifenazate	39 - 2769	ND
Boscalid	43 - 2694	ND
Carbaryl	42 - 2732	ND
Carbofuran	44 - 2710	ND
Chlorantraniliprole	50 - 2661	ND
Chlorpyrifos	63 - 2717	ND
Clofentezine	303 - 2717	ND
Diazinon	296 - 2725	ND
Dichlorvos	299 - 2697	ND
Dimethoate	42 - 2688	ND
E-Fenpyroximate	241 - 2805	ND
Etofenprox	41 - 2763	ND
Etoxazole	294 - 2812	ND
Fenoxycarb	12 - 2756	ND
Fipronil	31 - 2741	ND
Flonicamid	53 - 2730	ND
Fludioxonil	307 - 2647	ND
Hexythiazox	40 - 2829	ND
Imazalil	273 - 2770	ND
Imidacloprid	52 - 2760	ND
Kresoxim-methyl	50 - 2722	ND

	Dynamic Range (ppb)	Result (ppb)
Malathion	276 - 2730	ND
Metalaxyl	46 - 2711	ND
Methiocarb	39 - 2642	ND
Methomyl	45 - 2738	ND
MGK 264 1	194 - 1622	ND
MGK 264 2	116 - 1026	ND
Myclobutanil	46 - 2670	ND
Naled	53 - 2707	ND
Oxamyl	43 - 2733	ND
Paclobutrazol	48 - 2692	ND
Permethrin	257 - 2782	ND
Phosmet	48 - 2725	ND
Prophos	313 - 2635	ND
Propoxur	44 - 2716	ND
Pyridaben	286 - 2808	ND
Spinosad A	32 - 2011	ND
Spinosad D	72 - 738	ND
Spiromesifen	266 - 2822	ND
Spirotetramat	300 - 2760	ND
Spiroxamine 1	19 - 1195	ND
Spiroxamine 2	24 - 1440	ND
Tebuconazole	306 - 2708	ND
Thiacloprid	46 - 2714	ND
Thiamethoxam	42 - 2732	ND
Trifloxystrobin	45 - 2701	ND

Final Approval



Judith Marquez
05Aug2025
11:42:00 AM MDT

PREPARED BY / DATE



Sam Smith
05Aug2025
11:51:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2018a96a-df07-42a5-b10a-615b57744c2a>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

2018a96adf0742a5b10a615b57744c2a.1